

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

THIS PAGE BLANK (USPTO)




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 17/60		A1	(11) International Publication Number: WO 00/60518
			(43) International Publication Date: 12 October 2000 (12.10.00)
(21) International Application Number: PCT/US00/09094		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 6 April 2000 (06.04.00)			
(30) Priority Data: 09/286,964 6 April 1999 (06.04.99) US			
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 09/286,964 (CON) Filed on 6 April 1999 (06.04.99)			
(71) Applicant (for all designated States except US): CYNAPTEC, INC. [-/US]; 600 Suffolk Street, 4th Floor, North, Lowell, MA 01854 (US).		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(72) Inventor; and			
(75) Inventor/Applicant (for US only): SANBORN, Robert, K. [-/US/US]; Unit 42, 97 Mount Vernon Street, Boston, MA 02108 (US).			
(74) Agent: MALONEY, Denis, G.; Fish & Richardson, P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).			

(54) Title: METHOD AND APPARATUS FOR FACILITATING COMMUNICATIONS BETWEEN BUYERS AND VENDORS

(57) Abstract

A method of and corresponding apparatus for facilitating buyer-vendor communications is described. A request from a buyer for vendor information corresponding to a selected category from a list of categories is received (180). In response to the request for vendor information, a vendor matching list for the selected category is returned (182). The returned vendor matching list includes communication options (184) available to the buyer relative to one or more of the listed vendors (182). A message corresponding to selected communication options is transmitted over the network to the selected vendors. The message can be associated with a set of one or more buyer-defined parameters specifying how responses to the message are to be delivered to the buyer. When responses to the message are received from at least one of the selected suppliers, the buyer-defined parameters associated with the message are consulted and the response is processed in accordance with the user-defined parameters.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

METHOD AND APPARATUS FOR FACILITATING
COMMUNICATIONS BETWEEN BUYERS AND VENDORS

5

BACKGROUND OF THE INVENTION

The present invention relates to electronic commerce. Since the Internet has been open to commercial use, its popularity has grown as businesses recognized its potential impact to business-to-consumer transactions. Also driving Internet usage are business-to-business transactions. For example, businesses use the World Wide Web to locate information about products and services.

Today there are many one-to-one marketing systems catering to this market. These types of systems allow a user such as a procurement specialist to find a particular product from a vendor in that vendor's on-line catalog. Many companies with on-line catalogs utilize Web transaction servers coupled to their on-line catalogs to communicate with a user's Web browser and their own internal applications to provide such functions as a virtual shopping cart, order entry, order tracking and payment. Others satisfy the demand by collecting and scanning publicly available catalogs to produce CD-ROM catalogs. The added value in this approach is in the product categorization and parametric search functionality.

Another technique is the use of an on-line directory publisher. An on-line directory publisher such as Thomas Register or Cahner's produces and manages on-line catalogs.

Additionally, such program developers as PurchasePro and Industry.Net provide on-line services that target a specific industry segment and allow buyers and vendors, both limited in number, to exchange information and conduct transactions on-line.

SUMMARY

According to an aspect of the invention, a method of facilitating purchasing communications between buyers and vendors across a network includes receiving a request from a buyer for vendor information corresponding to a selected category from a list of categories and returning, in response to the request for vendor information, a vendor matching list for the selected category, the vendor matching list including communication options available to the buyer relative to one or more of the listed vendors. The method further includes transmitting a message corresponding to selected communication options over the network to the selected vendors.

The method can also include constructing a message to be sent to the selected vendors including preparing an electronic mail message addressed to each one of the selected vendors and attaching selected communication options thereto. The communication options can include a document for requesting vendor response.

The method further can include associating with the message a set of one or more buyer-defined parameters specifying how responses to the message are to be delivered to the buyer.

The method further can include receiving a response to the message from at least one of the selected suppliers, checking the buyer-defined parameters associated with the message and processing the response in accordance with the user-defined parameters.

One or more of the following advantages may be provided from aspects of the invention.

The buyer-vendor communications-facilitating mechanism of the invention enables a one-to-many request communication flow and a many-to-one response communication flow. Both flows are managed by the same entity and are

part of the same transaction. That is, the managing mechanism directs a buyer's request to selected suppliers and directs the suppliers' responses back to the buyer in accordance with buyer-defined communication parameters which the mechanism maintains. The buyer thus has the capability to monitor, via the mechanism, the on-going transaction status. The buyer can also modify the communication parameters and/or the request itself prior to or after transmission. These modifications, in turn, effect how the suppliers' responses are handled. The buyer-vendor communication process of the invention is therefore highly optimized from a buyer's perspective, as the buyer has greater flexibility and control with respect to a particular transaction.

15

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will become more apparent from the following detailed description taken in conjunction with the accompanying drawings, in which:

FIG. 1 is a schematic view of a networked system for facilitating communications between buyers and sellers.

FIG. 2 is a block diagram illustrating software processes employed by the server during a buyer-vendor communication process.

FIGS. 3A through 3K are exemplary screen displays from a Web browser used in rendering pages at the client computer during the buyer-vendor communication process.

FIGS. 4A-B are flow diagrams of a server process used in the buyer-vendor communication process.

FIGS. 5A-B are representations of data structures used in the database of the networked system of FIG 1.

FIG. 6 is a flow diagram of a "last ditch" advertising process.

FIG. 7 is an exemplary screen shot of a last ditch

advertising page.

FIG. 8 is a flow diagram depicting a process of constructing a preferred vendor directory.

FIG. 9 is a flow diagram illustrating a vendor
5 response management portion of the buyer-vendor communication process.

DESCRIPTION

10 Referring now to FIG. 1, a networked system 10 includes a client system 12 connected to a server 14 and a plurality of vendor systems 16a-16m via a network 18. The networked system 10 is implemented as a Web-style system that is used to facilitate communications between buyers at
15 client computers such as client system 12 and vendors at the vendor systems 16a-16m over the network 18. In a Web implementation, the network 18 can be the "Internet" and the server 14 a Web server. Private networks can also be used.

More particularly, client system 12 receives input from a
20 user (in this case, a potential buyer) via a Web browser 20, which communicates with the server 14 over the network 18. The Web browser 20 renders display output in the form of hypertext markup language (HTML) pages. The Web browser 20 may be any commercially available browser, such as Microsoft
25 Internet Explorer or Netscape Navigator. The vendor computer systems 16 are servers operated and controlled by vendor companies ("vendors"). Also coupled to server 14 is a back-end resource shown here as a database 22 for storing vendor information.

30 Referring to FIG. 2, the processes that run on the server 14 are shown. The server 14 includes a server computer that executes a server process 30. The server 14 stores information organized into distributed pages 32. The pages are stored as information encoded into HTML. The
35 manner in which the HTML pages are produced is well known

and therefore not discussed herein. In addition to static pages where content does not change, server 14 provides a mechanism for including dynamic information (e.g., from such sources as the database) in pages. The server 14 uses a standard interface called the Common Gateway Interface (CGI) to execute a separate program that obtains the dynamic information, formats it into HTML and forwards it to the server 14. The server 14 also employs the Hypertext Transfer Protocol (HTTP) in transferring pages to and receiving page data from the Web browser 20 via the Internet 18 (from FIG. 1). The server process 20 therefore includes an HTTP server process 33 augmented with CGI-based applications 34. Other protocols of course could be used.

The server process 30 further includes a database search engine 36 that is responsible for storing data in and retrieving data from the database 22 (FIG. 1) in response to queries. The queries are produced by the server 14 based on user-specified data that is received from the client system 12. Collectively, the database search engine 36 and the database 22 may be viewed as a "database system" 38. Although the database search engine is depicted as part of the server process 30, it will be understood that the components of the database system 38 may be integrated, as in a database management system, or include a separate back-end server.

Additionally, the server 14 runs an e-mail application 39, used to send e-mail messages to vendors via the Internet, as will be described. Hereinafter, the server 14 and server process 30 will be referred to as the "buyer-vendor communication system" (or, simply, "the system") and the "buyer-vendor communication process (or, simply, "the process"), respectively.

In order to convey the manner in which the buyer-vendor communication system is used, various screen displays of the browser's graphical user interface will now be

described with reference to FIGS. 3A-K.

Referring now to FIG. 3A, a sign-on/registration page 40 allows an already registered user to log onto the system by entering appropriate information in an e-mail address field 42 and an password field 44 and clicking the "enter" button 46. The sign-on/registration page 40 also allows a user who has not previously registered with the system to do so by clicking the "click to register" button 48, which brings the user to a purchaser account application page 50, shown in FIG. 3B.

Referring to FIG. 3B, the purchaser account application page 50 has several fields for accepting personal user data. The fields include a name field 52, an e-mail address field 54, phone number fields 56, a fax number field 58 and a password field 60. Additional fields are possible. The information is saved to establish a user account. The user account information is maintained by and stored on the server 14. When the user returns to the site, the user's account information is restored upon successfully entering a user name and password.

Referring to FIG. 3C, a search page 70 sent by the server 14 to the Web browser 20 in response to the earlier-described log-in procedure (FIG. 3A) is shown. The search page 70 allows the user to enter a keyword or keywords in a search field 72 for an item about which the user is seeking information. For example, the user enters as a keyword the word "phone" and hits a "search" button 74. The search page also includes a "Bid Addendum" button 75, which will be discussed later.

With reference now to FIGS. 3D and 3E, the server 14 will return to the user a matching categories page 76. The matching categories page includes a matching categories list 80 generated by the system.

As can be see in FIG. 3D, the server 14 returns all of the categories that it could relate to the word

"phone". Provided in the left hand corner of the page is a matching categories number 82 corresponding to the number of categories that match a particular query. In this example, there are 26 categories that match "phone". Also provided is
5 the total number of suppliers in the matching categories 84, in this case 1,752. The page also provides a total displayed number 86. In the illustrated embodiment, only twenty-five categories per page are displayed. The categories are listed in table format, with matching
10 category names 88 in the left column under a heading "matching categories" and the number of matching vendors 90, that is, the number of vendors that match that category, in the right column under a heading "Number of Vendors in Database".

15 Continuing to use the "phone" example, a user interested in cellular telephone service and repair would scroll down to the "Cellular Telephones-Service & Repair" category (shown in FIG. 3E). Next to each category name is listed the number of matching vendors in the database 22
20 that are categorized under that category name. Thus, in the example shown, a number four (4) indicates that the system has four vendors in the category of interest. The user selects a category 88 from the list of matching categories 80 by clicking on the particular category. The category,
25 e.g., "Cellular Telephones-Service & Repair", is provided as a hyperlink that is sent back to the server to set up another database query.

Referring to FIG. 3F, the server 14 returns to the browser 20 a vendor matching page 100 which includes the
30 vendors contained in the database that match the selected category. The vendors are listed in some order, such as alphabetically, or in no order, i.e., random, and in a table format. One column corresponds to a matching vendor name 102. Next to and associated each vendor name is a check box
35 104 that allows the user to add the vendor with which the

check box is associated to a list of vendors that the user wishes to send information to or receive information from. The page can include banner ads linked to vendor listings. There are various subscription types available to the vendor
5 which allow the vendor to have a banner display associated with the vendor's other information (e.g., name, address). Thus, the page can include a check box 104, company (vendor) name, banner or logo (or some combination thereof) 102, information (e.g., on-line catalog) availability 106, status
10 (e.g., minority certification) 108, as well as other information. If the user wishes to request information from or communicate with one or more of the listed vendors, the user checks the names of the desired vendors by selecting the check box 104 next to the vendor's name. Also included
15 in the vendor matching page 100 is an "Add selected vendors to my page" button 110, which will be discussed later with reference to FIG. 8.

In addition to selecting the vendors to make up the list of recipients, the user can select a communication
20 option from one or more communication option selection devices. In the illustrated embodiment, a first communication option selection device 114 is a drop-down communication options menu which includes communication options for requesting vendor response: "request for
25 quotation" 114a, "request for information only" 114b, "request for proposal" 114c or "request for status" 114d (e.g., minority-owned or small business). Other options could be provided.

Once the user has made a communication option
30 selection from the menu 114 and clicks on a continue button 116, the server 14 returns a request options page 120, shown in FIG. 3G. Referring now to FIG. 3G, the request options page 120 includes second communication option selection devices 122, which allows the user to fill in a document
35 (form) that the system provides on-line 122a (i.e., a form

corresponding to the vendor activity request in drop-down menu 114), attach one of the user's own documents or files 122b or both. For example, if the user would like to send a specification along with an RFQ, the user attaches to the
5 RFQ form the specification or a file. The RFQ and specification (or file) are sent via a single e-mail message to the list of vendors, as determined by the user. As indicated above, the user can choose to fill in an on-line form. The form that the user receives will depend on the
10 option selected in the communication options menu (of FIG. 3F). Again, the completed form will be sent to the selected vendors on the vendor list.

Still referring to FIG. 3G, the request options page 120 allows the user to set parameters for the request.
15 The parameters include e-mail address change 124 if the user would like to receive vendor responses at an e-mail address other than the default address (i.e., the one to which the cookie preference has been set). Other options include delivery and expiration dates. A delivery date
20 field 126 specifies the date for receiving the requested information. For example, if the user wishes to receive all of the responses at once, the server 14 can hold them until a pre-set date. Alternatively, the delivery date preference may be set for various intervals such as daily or weekly.
25 One or more expiration date fields 128 specify the "cut-off" date for submissions. The server can have a default, e.g., 40 days, if the user does not enter a date. Additionally, there is a "short e-mail description" field 130 for the entry of a short description. The short description, if entered,
30 will appear in the header (subject line) of the e-mail message the vendors receive. There is also a comments field 132 that allows the user to type in additional comments, free form, similar to a cover letter.

The server also has the capability to store
35 transaction history for a fixed period of time (e.g., 6

months). When that fixed time period expires, the history is provided to the user in some form (e.g., text, MIME or HTML).

Referring back to FIGS. 3F-3G, if the user selects
5 as the communication option an RFQ 114a (FIG. 3F) and chooses a second communication option 122a to fill in an online form (FIG. 3G), the server 14 returns in response an RFQ page 140 that mimics an RFQ form, as shown in FIG. 3H. The server 14 will carry forward the name and address, add a
10 date and allow the user to enter an RFQ number in an RFQ number field 142. The form has option boxes for delivery requirements 144, terms and conditions 146 and freight-on-board 148. It also has fields in which the user can enter quantity 150 and description 152. Once the user has entered
15 in all of the information for the RFQ, the user clicks on a "submit" button 154.

When the user hits the submit button 154, the server forwards the completed form results to e-mail addresses of each of the selected recipient vendors using
20 the e-mail application 39 (shown in FIG. 2). The e-mail application utilizes a standard ASCII text format, but could be adapted to use other formats, such as MIME. Alternately, the system may notify a vendor that a bid is waiting for that vendor. In this option, the e-mail
25 notification provides such a vendor with a Web address where the vendor can view the file in HTML format through a browser.

Referring now to FIG. 3I, an auditing page 160 is shown. The server 14 provides a printable page listing all
30 of the bid recipients that were selected (i.e., "checked off") earlier. The server 14 assigns the user a reference number 161 that will allow that user to track and subsequently amend the communication if desired. At the bottom is a "new search" button 162, which allows the user to
35 return to the search page 70 (from FIG. 3C) to initiate a

search for a new item as described earlier, or modify an existing document.

Referring again to FIG. 3C, to change an existing submission or modify parameter settings, the user clicks on the "Bid Addendum" 75. In response, the server 14 returns a My Transactions page 163, shown in FIG. 3J. The My Transactions page 163 includes a transaction description 164, which corresponds to a selected category for a particular request, and the assigned reference number 161 (as also shown in FIG. 3I). The page also includes a status 165 of that particular request (how many bids sent and received) and an expiration date override 166 that the user can use to override the preset or expiration date, or change (extend) the expiration date. To change the recipients list or send an addendum to all of the vendors currently selected, the user selects either the transaction description 164 or reference number 161. In response, the server returns a Bid Addendum page 165, shown in FIG. 3K.

Referring to FIG. 3K, the Bid Addendum page 167 allows the user to choose via vendor selection boxes 168 those of the already selected vendors to receive the addendum. It also allows the user to attach a bid addendum through a bid addendum field and attachment button 169 or type a bid addendum online via a bid addendum online field 170. The user transmits the bid addendum by clicking on the "send bid addendum" button 171.

A server process that handles a purchasing-related communications exchange between buyers and vendors 175 will now be described with reference to FIGS. 4A-B.

Referring to FIG. 4A, upon detection that a user has logged on 176, the server 14 sends to the user a search page 177. The server 14 receives from the browser a search request based on a search string entered in the search page by the user 178. In response, a "matching categories" list is generated 179. The server receives a selected category

from the list of matching categories from the browser 180 and returns a matching vendors list 182. Next, the server receives from the user the selected vendors from the list of matching vendors (vendors contained in the "vendor matching" page) and communication option (e.g., RFQ) 184. The server returns a request options form to the user 186 and receives back from the user the request options data and selections (i.e., parameters, along with selected second communication option or options) 188. The server sends a form
10 corresponding to the selected communication options (e.g., online RFQ) to the user as appropriate 190 and receives back the completed document, along with any attached files 192. The server sends the completed document, along with any attachments, or a document contained in a file provided by
15 the user to each of the selected vendors via a single e-mail transmission 194.

To generate the matching categories list 179, the system performs a number of operations, as illustrated in FIG. 4B. One of the CGI-based applications or scripts (CGI applications 34 from FIG. 2) is invoked by the server 192.
20 The invoked script parses the string contents to receive the data and processes the data 194. That is, the script converts the data from web format into a format that is usable by the database search engine 38 (from FIG. 2). The
25 script 34 strips off any special characters and processes the data string through fuzzy artificial intelligence software. The script also enforces rules according to the needs of the database system. For instance, the database system might require that its input contain only word roots
30 or have stop words (i.e., words that have no or little meaning to a query) removed. Additionally, slang words are converted into standard format that is accepted in the database and plural words are converted to the singular, unless stored in the database in plural form. Once the
35 string is processed into a format that the database system

accepts, it is passed on to the database system (specifically, the database search engine) to service the form's request 196.

The database search engine accesses the database and tries to match the search string that it receives from the script with entries in the database 198. Once the database search engine obtains a match, it returns the matching categories to the script 200. The script, in turn, formats the information into HTML 202 and returns the formatted information to the browser in the form of a "matching categories" page 204.

Although not illustrated in detail in FIGS. 4A-B, the system that generates a matching vendors list is performed in a similar manner. The system sends the data received from the browser to the CGI script for processing.

The CGI script provides the processed data to the database search engine, which accesses the database and returns a list (in this case, a list of vendors corresponding to the selected category) to the script for formatting. The resulting HTML ("vender matching") page is returned to the browser.

An exemplary implementation of the database 22 (from FIG 2) will be described now with reference to FIGS. 5A and 5B. As can be seen in FIG. 5A, the database has a category table 210 for each category or heading. Each category table 210 stores a pointer 212 for each vendor related to that category. The detailed vendor information is stored in a flat file 214 having a vendor record 216 corresponding to each vendor. Because the category table 210 stores only a pointer to the flat file that has all of the vendor information, searches are very fast.

Also contained in the database 22, and shown in FIG. 5B, is a user request table 220 having a request record/entry 222 for each user request. Data is gathered over a series of pages using the same user entry. If the

user disconnects, the server 14 saves the user request record. When the user logs on again, the server gives the user the opportunity to resume work on the saved (but incomplete) request.

5 Referring now to FIG. 6, a target advertising mechanism 230 is illustrated. Conventionally, websites display banners and the owner of the banner will pay the web page owner some fee when the banner is clicked on. Because the networked system 10 is geared towards the needs of
10 buyers, there is a high probability that the user of the system is interested in purchasing or getting information about a particular product or service. Therefore, the most valuable time for an advertiser to "get in front of" a potential purchaser is when that buyer indicates on-line
15 that the buyer is actively looking to purchase such product or service. The target advertising mechanism, also referred to as a "last ditch advertising" option allows the advertiser (advertising vendor) to virtually stand behind the purchasing agent during the purchasing decision-making
20 process.

Thus, and with reference to FIG. 6, the server 14 returns a list of vendors that match a buyer's search request 232. When the server receives from the user/buyer the list with certain ones of the vendors selected (i.e., "checked
25 off") as recipients of a user document or communication 234, the server detects that one or more of the vendors have not been selected 236. It should be noted that the server 14 keeps track of the selected category all the way through the process. If the server 14 detects nonselected vendors for
30 that category with the "last ditch advertising" option enabled prior to sending the options request page, the server checks 14 for pre-determined selection criteria 237 and selects one or more of the detected vendors using the pre-determined selection criteria (e.g., according to
35 subscription information) if it exists 238. Otherwise, they

are selected at random 240. The server 14 already has the category/heading to which the vendor or vendors belong, therefore the server 14 retrieves from the database and presents to the user any one or more of the nonselected vendors. The server presents vendor information (such as a banner ad or company name/address) for one or more of the detected, nonselected vendors to the user 242 and allows the user the option of adding the one or more of those vendors to the list of recipients prior to the transmission of the document or communication to the selected vendors 244.

In this embodiment, the information is presented in the form of a page via the browser, as shown in FIG. 7. Referring to FIG. 7, a last ditch advertising page 245 includes nonselected vendor information 246. The nonselected vendor information 246 can be "clicked on" via a corresponding hyperlink 247, thereby adding the vendors associated with such information to the recipients list. The buyer is also given the opportunity to modify previously set request options parameters 248.

In this manner, the last ditch advertising option provides the nonselected vendor a chance to make one last pitch to the user in order that the vendor may be considered during a potential sourcing or purchasing decision. The user has the option of adding that company to the user's existing "basket" of recipients prior to submitting the communications document (e.g., RFQ) for transmission to the vendors on the list of recipients. Vendors added, and all options are stored in a unique file on the server. That file is loaded and verified every time a change is made. Having such information stored in a file allows the user to return and complete an RFQ at a later time. It is also used by the server to determine which "last ditch" supplier to show.

Although the target advertising mechanism has been described with reference to and within the context of the

illustrated buyer-vendor communication process 14, it need not be so limited. It will be appreciated that such a technique could be used in other purchasing environments, such as web-based shopping applications, in which a buyer
5 chooses to buy an item by adding the chosen item to the buyer's "virtual shopping cart". That is, the addition of an item from a particular source to the basket (as opposed to the detecting of a nonselected vendor as described above) could trigger the advertising of an alternative source of
10 the chosen item or source of a competitive item.

Another feature of the purchasing communications system is the ability to construct and utilize a user-specific vendor directory or list.

Referring now to FIG. 8, a process to produce a
15 preferred vendor list or directory 250 is shown. In this embodiment, the list will take the form of an HTML page. The website administrator for the Web server and associated applications receives from a user (e.g., purchasing department or agent) a file including preferred vendor
20 information 252. The system can accept the preferred vendor information in any format. The system detects the format in which the information is stored 254. The system opens the file and determines if the file is commented, fixed field, etc., or stored in some format like Excel, Access or Word.
25 Once the system determines how the information is stored, it removes the data from the encapsulated form in which it is received 256 and applies an Artificial Intelligence "filtering" operation to the data 258. The AI program automatically corrects any out-of-date names/numbers, and
30 provides the formal legal names of listed vendor companies as needed. It also strips off any apostrophes and dashes to get the "raw" name. Once the AI filtering is complete, the system performs a fuzzy logic matching to match the data with records already residing in the database 260. Once all
35 the data has been matched (or achieves a certain level of

correctness) and an account has been set up for the user 262, the server populates a "My Vendor" page with the preferred vendors from the preferred vendor information and makes the page available to the user when the user signs on 5 264. Once the list is available for use by the user, the server automatically e-mails/faxes or mails a letter from the user to all of the vendors on the "My Vendor" page indicating that the user has an account with and will be utilizing the purchasing communications system in future 10 procurement activities 266.

Alternatively, the buyer/user can run a search on a category and check off all of the vendors that the user's particular purchasing department procures from and could create a running list in that manner.

15 The "My Vendor" page also includes competitive vendor data. The competitive vendor data is generated by pooling together the preferred supplier information from a group of similar users (e.g., a group of universities). The server runs each user's list through the database "filter" as 20 described above and categorizes the information.

Referring back to the vendor matching page shown in FIG. 3F, the check box also allows the user to add to "My Vendor" page by simply checking the box corresponding to a particular company name and clicking on the "Add selected 25 vendors to my page" button 110. In response, the user will get a screen confirming that he has added the selected vendors to his personal page.

There is an administrative account (set by the purchasing agents) which controls how the vendor page is 30 updated or changed. It also controls access to the rest of the system. The system provides parameters that allow purchasing agents to specify different levels of access, e.g., vendor page only, search page, or up through post search where the user has a list of recipients. The 35 administrator has the ability to block the user from sending

to suppliers other than those included on the "My Vendor" page.

Referring now to FIG. 9, a vendor response management portion of the buyer-vendor communication process is shown. The system (system 14 from FIG. 1) receives a response from a vendor 272 and sorts that response based on reference number 274. In order to determine how to proceed with the processing of the response, the system consults the request options parameters specified by the user prior to transmission 276. It accomplishes this task by reading the user request entry data corresponding to the reference number in the request data table of FIG. 5B. Specifically, the system 14 will determine if the submissions period has expired 278. If the submissions period has not expired, the system will check the delivery field to determine if the delivery date parameter is met. If not, the system will hold the response for delivery on the appropriate delivery date 282. If the submissions period has expired (at 278), the response will be deemed late and discarded 284. If the delivery date parameter has been met 280, the response will be sent to the user 286.

Other Embodiments

It is to be understood that while the invention has been described in conjunction with the detailed description thereof, the foregoing description is intended to illustrate and not limit the scope of the invention, which is defined by the scope of the appended claims. Other aspects, advantages, and modifications are within the scope of the following claims.

What is claimed is:

CLAIMS

1. A method of facilitating purchasing communications between buyers and vendors across a network, the method
5 comprising:

receiving a request from a buyer for vendor information corresponding to a selected category from a list of categories;

10 returning, in response to the request for vendor information, a vendor matching list for the selected category, the vendor matching list including communication options available to the buyer relative to one or more of the listed vendors; and

transmitting a message corresponding to selected
15 communication options over the network to the selected vendors.

2. The method of claim 2 further comprising:
receiving a search request of at least one keyword
20 specifying a type of product; and

returning the list of categories corresponding to the at least one keyword.

3. The method of claim 2, wherein each list returned
25 is rendered into an HTML page by a web browser.

4. The method of claim 2 further comprising:
searching a database for headings matching the entered keyword;

30 retrieving from the database the categories associated with the matched headings; and
returning the categories as the list of categories in an HTML page.

35 5. The method of claim 4 further comprising:

providing the number of vendors in the database for each category in the list of categories.

6. The method of claim 3 further comprising:
5 searching a database for headings matching the selected category; and
retrieving a list of vendors stored in association with the matched headings.
- 10 7. The method of claim 6 further comprising:
constructing a message to be sent to the selected vendors including preparing an electronic mail message addressed to each one of the selected vendors and attaching selected communication options thereto.
- 15 8. The method of claim 1, wherein the communication options include a document for requesting vendor response.
9. The method of claim 8, wherein the document is a
20 request-for-quotation.
10. The method of claim 8, wherein the document is a request-for-information.
- 25 11. The method of claim 8, wherein the document is a request-for-status.
12. The method of claim 8, wherein the document is a request-for-proposal.
- 30 13. The method of claim 1, wherein the communication options include a document provided by the user.
14. The method of claim 8, wherein the communication
35 options further include a document provided by the user.

15. The method of claim 1 further comprising:
 associating with the message a set of one or more
 buyer-defined parameters specifying how responses to the
5 message are to be delivered to the buyer.

16. The method of claim 1 further comprising:
 assigning a reference number to the message to
enable status tracking by the buyer.

10

17. The method of claim 15 further comprising:
 receiving a response to the message from at least
one of the selected suppliers;
 checking the buyer-defined parameters associated
15 with the message; and
 processing the response in accordance with the
user-defined parameters.

18. The method of claim 17, wherein the buyer-defined
20 parameters specify an expiration date for a response
submissions period and wherein the processing comprises:
 reading the expiration date to determine whether
or not the submissions period has expired.

25 19. The method of claim 18, wherein the user-defined
parameters specify a delivery date and wherein the
processing further comprises:

 reading the delivery date and determining if the
delivery date parameter has been met; and

30 directing the response to the buyer if it is
determined that the delivery data parameter has been met.

20. The method of claim 19, wherein processing further
comprises:

35 holding the response for delivery to the buyer on

the delivery date.

21. The method of claim 16 further comprising:
receiving responses to the message from one or
5 more of the selected suppliers; and
sorting the responses by the assigned reference
number.

22. A computer program product residing on a computer
10 readable medium for facilitating purchasing communications
between buyers and vendors across a network, comprising
instructions for causing a computer to:

receive a request for vendor information
corresponding to a selected category from a list of
15 categories;

return, in response to the request for vendor
information, a vendor matching list for the selected
category, the vendor matching list including communication
options available to the buyer relative to one or more of
20 the listed vendors; and

transmit a message corresponding to selected
communication options over the network to the selected
vendors.

25 23. A system for facilitating a communication exchange
between buyers and vendors over a network comprising:

a server coupled to the network;

a database engine coupled to the server;

a database coupled to the database engine;

30 wherein the server receives a request over the
network from a buyer for vendor information corresponding to
a selected category from a list of categories, processes the
request and sends the processed request to the database
engine;

35 wherein the database engine, in response to the

processed request sent by the server, matches the processed request with entries in the database, the entries corresponding to vendors, and returns the matching vendor entries to the server for processing;

5 wherein the server transfers the processed matching vendor entries as a matching vendors list to the buyer along with communication options; and

 wherein the server receives selected vendors from the matching vendor list and at least one selected
10 communication option from the communication options and transmits a message corresponding to the at least one of the communication options to the selected vendors over the network.

15




FIG. 1




FIG. 2

Welcome

In order to use the
services we
offer, you must
register with our
system.

Email Address

Password

☒ Save my login information on my computer so I will not have to enter it
each time I visit.

[Click here to
register.](#)

Enter

Home | Login | Register | Advertising | Privacy Policy
Help | Feedback | My Account | Sign Out

FIG. 3A

Purchaser Account Application

Items followed by (R) are required.

☐ ☐

Company / Organization Information

Company / Organization Name: (R) 333

Your name: ~ 52

Address:

City:

State:

Zip code:

Country: U.S.A.

Email address: (R) 333 ~ 54

Purchasing Dept.'s Website (URL): http://

Company phone number: (R) 333 Ext: 0 ~ 56

Fax number: (R) 333 ~ 58

Amount your purchasing dept. spends each year: 10 mil. or less. ☐

Password (characters hidden): *** ~ 60

Password again (passwords must match): ***

Continue

↑ 50

FIG. 3B

Hello, *Nameless Person* of 333.



Enter some keywords specifying the product or service you are looking for.

phone

Search

My Vendors

Home | Join |

Administering | Privacy Policy

Get Addressed | My Vendor | Suggestions

FIG. 36

Results for phone

Matching categories: 26 ~ 82

Total suppliers: 1752 ~ 84

Displaying 1-25 ~ 86

Select the following categories that best match your purchasing criteria:

Matching Categories	Number of vendors in database
98 ~ <u>Telephone & Television Cable Contractors</u>	13 ~ 90
<u>Telephone-Wiring & Repair</u>	2
<u>Telephone-Installations</u>	6
<u>Pay Telephones & Booths Equipment & Svc</u>	7
<u>Telephone Calling Cards-Whol & Mfrs</u>	1 ~ 80
<u>Telephone Equipment & Svstems-Mfrs</u>	3
<u>Telephone Booths (Manufacturers)</u>	1
<u>Telephone & Telegraph Apparatus (Mfrs)</u>	5
<u>Radiotelephone Communications</u>	3
<u>Mobile Telephone Service</u>	13
<u>Cellular Telephones (Services)</u>	278
<u>Telephone Communications Services</u>	301
<u>Telephone Companies</u>	126
<u>Long Distance Telephone Service</u>	50
<u>Telephone Auto Answer Equipment-Whol</u>	4
<u>Telephone Equipment & Svstems-Wholesale</u>	18
<u>Telephone Equip/Svsts-Supls/Parts (Whol)</u>	4
<u>Mobile Telephone Equip & Supls (Whol)</u>	20
<u>Telephone-Coin & Card Operated (Whol)</u>	17
<u>Cellular Telephones-Equipment & Supls</u>	159
<u>Telephone Equipment & Supplies</u>	309
<u>Telephone Answering Service</u>	331

FIG. 3D

<u>Telephone Equipment & Svstems-Svc/Repair</u>	70
<u>Telephone Auto Answer Equip-Servicing</u>	2
<u>Cellular Telephones-Service & Repair</u>	4
<u>Telephone Consultants</u>	5

- 80

New Search

78

FIG. 3E

Telephone-Wiring & Repair

Vendors matching your criteria

Displaying 1-2 out of 2

Here is a list of all the vendors in the category you selected. Please check off all the vendors you wish to send quotes to.

Vendor	
<input checked="" type="checkbox"/>	Vendor name
<input checked="" type="checkbox"/>	Vendor name

104

106

108

110 Add selected vendors to my page

I would like to get:

Request for Quote
Request for Quote
Request for Information Only
Request for Proposal
Request for Status

114a

114b

114c

114d

114

100

Continue 116

FIG. 3F

Request a file type

Attach a file type: Select a file type:

Request a file type	Request a file type	Request a file type	Request a file type	Request a file type
Upon expiration	Upon expiration	Upon expiration	Upon expiration	Upon expiration
May	May	May	May	May
As they arrive	As they arrive	As they arrive	As they arrive	As they arrive

Comments

122b

122a

124

126

128

130

132

FIG. 36

RFQ reference number:

p586bgiu ~ 162

Your request has been sent to the following suppliers:

Vendor name
Vendor name

New Search

~ 162

~ 160

FIG. 3I

My Transactions ¹⁶⁴ ¹⁶¹

Transaction	Description	Reference		Number		Date of	
		Number	Number	Sent	Returned	Expiration	Expiration
Halogen Light Bulbs		843vev4586		4	2		4/15/99
Copiers		778hr6823		6	4		3/25/99
Mass Spectrometer		874jwk5379		3	1		6/1/99
Gear Pump		834ood7432		4	3		3/15/99

¹⁶⁵ ¹⁶⁶ ¹⁶³

FIG. 3J

✓ 167

A bid addendum for reference number 843view4686 "Halogen Light Bulbs"

will be sent to the following suppliers:

☐ Allied Electric Supply Co

☐ Gross Electric Inc

☐ Light Bulb World

☐ Madison Electric Co

~ 168

~ 169

Attach bid addendum: ☐ Attach

Type bid addendum online:

170

171

Send bid addendum

FIG. 3K




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 6


245

Content - Microsoft Internet Explorer

File Edit View Go Favorites Help

Back Forward Stop Refresh Home Search Favorites History Channels Fullscreen Mail Print Edit

Address

246 { **Telephone Products, Inc.**  Click to send your quote to the #1 Dealer in New England 247

Request For Quote - Attach:

Attach RPQ Document: qtrspec.doc

REQUESTER INFORMATION		REQUEST INFORMATION	
Buyer's E-mail Address:	buyer@university.edu	NetID:	Net15
PURCHASE TYPE:		PURPOSE:	
As Above		September 1 1998	
Additional Comments:			

248

Start | object(s) selected | Local intranet zone | Content - Micro | 11:53 AM

FIG. 7




FIG. 8




FIG. 9

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/09094

A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : G06F 17/60 US CL : 705/26,27,37; 235/375 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 705/26,27,37; 235/375 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched NONE Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WEST, DIALOG		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4,992,940 A (DWORKIN) 12 February 1991, col. 3, line 47 thru col. 10, line 63.	1-23
X	US 5,758,328 A (GIOVANNOLI) 26 May 1998, col. 3, line 55 thru col. 8, line 20.	1-23
X	US 5,794,207 A (WALKER et al) 11 August 1998, col. 11, line 40 thru col. 27, line 64.	1-23
X	US 5,842,178 A (GIOVANNOLI) 24 November 1998, col. 3, line 58 thru col. 8, line 31.	1-23
X,P	US 5,924,082 A (SILVERMAN et al) 13 July 1999, col. 6, line 14 thru col. 13, line 51.	1-23
X,P	US 5,991,739 A (CUPPS et al) 23 November 1999, col. 3, line 48 thru col. 11, line 64.	1-23
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: *A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art *Z* document member of the same patent family	
Date of the actual completion of the international search 08 JULY 2000		Date of mailing of the international search report 03 AUG 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer ALLEN MACDONALD Telephone No. (703) 308-9800

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/09094

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,168,446 A (WISEMAN) 01 December 1992, entire document.	1-23
A,P	US 5,905,975 A (AUSUBEL) 18 May 1999, entire document.	1-23

Form PCT/ISA/210 (continuation of second sheet) (July 1998) ★

THIS PAGE BLANK (USPTO)

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 October 2000 (12.10.2000)

PCT

(10) International Publication Number
WO 00/60518 A1

(51) International Patent Classification⁷: G06F 17/60

(21) International Application Number: PCT/US00/09094

(22) International Filing Date: 6 April 2000 (06.04.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/286,964 6 April 1999 (06.04.1999) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 09/286,964 (CON)
Filed on 6 April 1999 (06.04.1999)

(71) Applicant (for all designated States except US): CY-NAPTEC, INC. [—/US]; 600 Suffolk Street, 4th Floor, North, Lowell, MA 01854 (US).


(72) Inventor; and
(75) Inventor/Applicant (for US only): SANBORN, Robert, K. [US/US]; Unit 42, 97 Mount Vernon Street, Boston, MA 02108 (US).

(74) Agent: MALONEY, Denis, G.; Fish & Richardson, P.C., 225 Franklin Street, Boston, MA 02110-2804 (US).

(81) Designated States (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR FACILITATING COMMUNICATIONS BETWEEN BUYERS AND VENDORS



(57) Abstract: A method of and corresponding apparatus for facilitating buyer-vendor communications is described. A request from a buyer for vendor information corresponding to a selected category from a list of categories is received (180). In response to the request for vendor information, a vendor matching list for the selected category is returned (182). The returned vendor matching list includes communication options (184) available to the buyer relative to one or more of the listed vendors (182). A message corresponding to selected communication options is transmitted over the network to the selected vendors. The message can be associated with a set of one or more buyer-defined parameters specifying how responses to the message are to be delivered to the buyer. When responses to the message are received from at least one of the selected suppliers, the buyer-defined parameters associated with the message are consulted and the response is processed in accordance with the user-defined parameters.

WO 00/60518 A1



(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(48) **Date of publication of this corrected version:**

27 June 2002

(15) **Information about Correction:**

see PCT Gazette No. 26/2002 of 27 June 2002, Section II

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD AND APPARATUS FOR FACILITATING
COMMUNICATIONS BETWEEN BUYERS AND VENDORS

5

BACKGROUND OF THE INVENTION

The present invention relates to electronic commerce. Since the Internet has been open to commercial use, its popularity has grown as businesses recognized its
10 potential impact to business-to-consumer transactions. Also driving Internet usage are business-to-business transactions. For example, businesses use the World Wide Web to locate information about products and services.

Today there are many one-to-one marketing systems
15 catering to this market. These types of systems allow a user such as a procurement specialist to find a particular product from a vendor in that vendor's on-line catalog. Many companies with on-line catalogs utilize Web transaction servers coupled to their on-line catalogs to communicate
20 with a user's Web browser and their own internal applications to provide such functions as a virtual shopping cart, order entry, order tracking and payment. Others satisfy the demand by collecting and scanning publicly available catalogs to produce CD-ROM catalogs. The added value in
25 this approach is in the product categorization and parametric search functionality.

Another technique is the use of an on-line directory publisher. An on-line directory publisher such as Thomas Register or Cahner's produces and manages on-line
30 catalogs.

Additionally, such program developers as PurchasePro and Industry.Net provide on-line services that target a specific industry segment and allow buyers and vendors, both limited in number, to exchange information and
35 conduct transactions on-line.

SUMMARY

According to an aspect of the invention, a method of facilitating purchasing communications between buyers and vendors across a network includes receiving a request from a buyer for vendor information corresponding to a selected category from a list of categories and returning, in response to the request for vendor information, a vendor matching list for the selected category, the vendor matching list including communication options available to the buyer relative to one or more of the listed vendors. The method further includes transmitting a message corresponding to selected communication options over the network to the selected vendors.

The method can also include constructing a message to be sent to the selected vendors including preparing an electronic mail message addressed to each one of the selected vendors and attaching selected communication options thereto. The communication options can include a document for requesting vendor response.

The method further can include associating with the message a set of one or more buyer-defined parameters specifying how responses to the message are to be delivered to the buyer.

The method further can include receiving a response to the message from at least one of the selected suppliers, checking the buyer-defined parameters associated with the message and processing the response in accordance with the user-defined parameters.

One or more of the following advantages may be provided from aspects of the invention.

The buyer-vendor communications-facilitating mechanism of the invention enables a one-to-many request communication flow and a many-to-one response communication flow. Both flows are managed by the same entity and are

part of the same transaction. That is, the managing mechanism directs a buyer's request to selected suppliers and directs the suppliers' responses back to the buyer in accordance with buyer-defined communication parameters which the mechanism maintains. The buyer thus has the capability to monitor, via the mechanism, the on-going transaction status. The buyer can also modify the communication parameters and/or the request itself prior to or after transmission. These modifications, in turn, effect how the suppliers' responses are handled. The buyer-vendor communication process of the invention is therefore highly optimized from a buyer's perspective, as the buyer has greater flexibility and control with respect to a particular transaction.

15

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will become more apparent from the following detailed description taken in conjunction with the accompanying drawings, in which:

20

FIG. 1 is a schematic view of a networked system for facilitating communications between buyers and sellers.

FIG. 2 is a block diagram illustrating software processes employed by the server during a buyer-vendor communication process.

25

FIGS. 3A through 3K are exemplary screen displays from a Web browser used in rendering pages at the client computer during the buyer-vendor communication process.

FIGS. 4A-B are flow diagrams of a server process used in the buyer-vendor communication process.

30

FIGS. 5A-B are representations of data structures used in the database of the networked system of FIG 1.

FIG. 6 is a flow diagram of a "last ditch" advertising process.

35

FIG. 7 is an exemplary screen shot of a last ditch

advertising page.

FIG. 8 is a flow diagram depicting a process of constructing a preferred vendor directory.

FIG. 9 is a flow diagram illustrating a vendor
5 response management portion of the buyer-vendor
communication process.

DESCRIPTION

10 Referring now to FIG. 1, a networked system 10 includes a client system 12 connected to a server 14 and a plurality of vendor systems 16a-16m via a network 18. The networked system 10 is implemented as a Web-style system that is used to facilitate communications between buyers at
15 client computers such as client system 12 and vendors at the vendor systems 16a-16m over the network 18. In a Web implementation, the network 18 can be the "Internet" and the server 14 a Web server. Private networks can also be used.

More particularly, client system 12 receives input from a
20 user (in this case, a potential buyer) via a Web browser 20, which communicates with the server 14 over the network 18. The Web browser 20 renders display output in the form of hypertext markup language (HTML) pages. The Web browser 20 may be any commercially available browser, such as Microsoft
25 Internet Explorer or Netscape Navigator. The vendor computer systems 16 are servers operated and controlled by vendor companies ("vendors"). Also coupled to server 14 is a back-end resource shown here as a database 22 for storing vendor information.

30 Referring to FIG. 2, the processes that run on the server 14 are shown. The server 14 includes a server computer that executes a server process 30. The server 14 stores information organized into distributed pages 32. The pages are stored as information encoded into HTML. The
35 manner in which the HTML pages are produced is well known

and therefore not discussed herein. In addition to static pages where content does not change, server 14 provides a mechanism for including dynamic information (e.g., from such sources as the database) in pages. The server 14 uses a standard interface called the Common Gateway Interface (CGI) to execute a separate program that obtains the dynamic information, formats it into HTML and forwards it to the server 14. The server 14 also employs the Hypertext Transfer Protocol (HTTP) in transferring pages to and receiving page data from the Web browser 20 via the Internet 18 (from FIG. 1). The server process 20 therefore includes an HTTP server process 33 augmented with CGI-based applications 34. Other protocols of course could be used.

The server process 30 further includes a database search engine 36 that is responsible for storing data in and retrieving data from the database 22 (FIG. 1) in response to queries. The queries are produced by the server 14 based on user-specified data that is received from the client system 12. Collectively, the database search engine 36 and the database 22 may be viewed as a "database system" 38. Although the database search engine is depicted as part of the server process 30, it will be understood that the components of the database system 38 may be integrated, as in a database management system, or include a separate back-end server.

Additionally, the server 14 runs an e-mail application 39, used to send e-mail messages to vendors via the Internet, as will be described. Hereinafter, the server 14 and server process 30 will be referred to as the "buyer-vendor communication system" (or, simply, "the system") and the "buyer-vendor communication process (or, simply, "the process"), respectively.

In order to convey the manner in which the buyer-vendor communication system is used, various screen displays of the browser's graphical user interface will now be

described with reference to FIGS. 3A-K.

Referring now to FIG. 3A, a sign-on/registration page 40 allows an already registered user to log onto the system by entering appropriate information in an e-mail address field 42 and an password field 44 and clicking the "enter" button 46. The sign-on/registration page 40 also allows a user who has not previously registered with the system to do so by clicking the "click to register" button 48, which brings the user to a purchaser account application page 50, shown in FIG. 3B.

Referring to FIG. 3B, the purchaser account application page 50 has several fields for accepting personal user data. The fields include a name field 52, an e-mail address field 54, phone number fields 56, a fax number field 58 and a password field 60. Additional fields are possible. The information is saved to establish a user account. The user account information is maintained by and stored on the server 14. When the user returns to the site, the user's account information is restored upon successfully entering a user name and password.

Referring to FIG. 3C, a search page 70 sent by the server 14 to the Web browser 20 in response to the earlier-described log-in procedure (FIG. 3A) is shown. The search page 70 allows the user to enter a keyword or keywords in a search field 72 for an item about which the user is seeking information. For example, the user enters as a keyword the word "phone" and hits a "search" button 74. The search page also includes a "Bid Addendum" button 75, which will be discussed later.

With reference now to FIGS. 3D and 3E, the server 14 will return to the user a matching categories page 76. The matching categories page includes a matching categories list 80 generated by the system.

As can be see in FIG. 3D, the server 14 returns all of the categories that it could relate to the word

"phone". Provided in the left hand corner of the page is a matching categories number 82 corresponding to the number of categories that match a particular query. In this example, there are 26 categories that match "phone". Also provided is the total number of suppliers in the matching categories 84, in this case 1,752. The page also provides a total displayed number 86. In the illustrated embodiment, only twenty-five categories per page are displayed. The categories are listed in table format, with matching category names 88 in the left column under a heading "matching categories" and the number of matching vendors 90, that is, the number of vendors that match that category, in the right column under a heading "Number of Vendors in Database".

Continuing to use the "phone" example, a user interested in cellular telephone service and repair would scroll down to the "Cellular Telephones-Service & Repair" category (shown in FIG. 3E). Next to each category name is listed the number of matching vendors in the database 22 that are categorized under that category name. Thus, in the example shown, a number four (4) indicates that the system has four vendors in the category of interest. The user selects a category 88 from the list of matching categories 80 by clicking on the particular category. The category, e.g., "Cellular Telephones-Service & Repair", is provided as a hyperlink that is sent back to the server to set up another database query.

Referring to FIG. 3F, the server 14 returns to the browser 20 a vendor matching page 100 which includes the vendors contained in the database that match the selected category. The vendors are listed in some order, such as alphabetically, or in no order, i.e., random, and in a table format. One column corresponds to a matching vendor name 102. Next to and associated each vendor name is a check box 104 that allows the user to add the vendor with which the

check box is associated to a list of vendors that the user wishes to send information to or receive information from. The page can include banner ads linked to vendor listings. There are various subscription types available to the vendor which allow the vendor to have a banner display associated with the vendor's other information (e.g., name, address). Thus, the page can include a check box 104, company (vendor) name, banner or logo (or some combination thereof) 102, information (e.g., on-line catalog) availability 106, status (e.g., minority certification) 108, as well as other information. If the user wishes to request information from or communicate with one or more of the listed vendors, the user checks the names of the desired vendors by selecting the check box 104 next to the vendor's name. Also included in the vendor matching page 100 is an "Add selected vendors to my page" button 110, which will be discussed later with reference to FIG. 8.

In addition to selecting the vendors to make up the list of recipients, the user can select a communication option from one or more communication option selection devices. In the illustrated embodiment, a first communication option selection device 114 is a drop-down communication options menu which includes communication options for requesting vendor response: "request for quotation" 114a, "request for information only" 114b, "request for proposal" 114c or "request for status" 114d (e.g., minority-owned or small business). Other options could be provided.

Once the user has made a communication option selection from the menu 114 and clicks on a continue button 116, the server 14 returns a request options page 120, shown in FIG. 3G. Referring now to FIG. 3G, the request options page 120 includes second communication option selection devices 122, which allows the user to fill in a document (form) that the system provides on-line 122a (i.e., a form

corresponding to the vendor activity request in drop-down menu 114), attach one of the user's own documents or files 122b or both. For example, if the user would like to send a specification along with an RFQ, the user attaches to the
5 RFQ form the specification or a file. The RFQ and specification (or file) are sent via a single e-mail message to the list of vendors, as determined by the user. As indicated above, the user can choose to fill in an on-line form. The form that the user receives will depend on the
10 option selected in the communication options menu (of FIG. 3F). Again, the completed form will be sent to the selected vendors on the vendor list.

Still referring to FIG. 3G, the request options page 120 allows the user to set parameters for the request.
15 The parameters include e-mail address change 124 if the user would like to receive vendor responses at an e-mail address other than the default address (i.e., the one to which the cookie preference has been set). Other options include delivery and expiration dates. A delivery date
20 field 126 specifies the date for receiving the requested information. For example, if the user wishes to receive all of the responses at once, the server 14 can hold them until a pre-set date. Alternatively, the delivery date preference may be set for various intervals such as daily or weekly.
25 One or more expiration date fields 128 specify the "cut-off" date for submissions. The server can have a default, e.g., 40 days, if the user does not enter a date. Additionally, there is a "short e-mail description" field 130 for the entry of a short description. The short description, if entered,
30 will appear in the header (subject line) of the e-mail message the vendors receive. There is also a comments field 132 that allows the user to type in additional comments, free form, similar to a cover letter.

The server also has the capability to store
35 transaction history for a fixed period of time (e.g., 6

months). When that fixed time period expires, the history is provided to the user in some form (e.g., text, MIME or HTML).

Referring back to FIGS. 3F-3G, if the user selects
5 as the communication option an RFQ 114a (FIG. 3F) and chooses a second communication option 122a to fill in an online form (FIG. 3G), the server 14 returns in response an RFQ page 140 that mimics an RFQ form, as shown in FIG. 3H. The server 14 will carry forward the name and address, add a
10 date and allow the user to enter an RFQ number in an RFQ number field 142. The form has option boxes for delivery requirements 144, terms and conditions 146 and freight-on-board 148. It also has fields in which the user can enter quantity 150 and description 152. Once the user has entered
15 in all of the information for the RFQ, the user clicks on a "submit" button 154.

When the user hits the submit button 154, the server forwards the completed form results to e-mail addresses of each of the selected recipient vendors using
20 the e-mail application 39 (shown in FIG. 2). The e-mail application utilizes a standard ASCII text format, but could be adapted to use other formats, such as MIME. Alternately, the system may notify a vendor that a bid is waiting for that vendor. In this option, the e-mail
25 notification provides such a vendor with a Web address where the vendor can view the file in HTML format through a browser.

Referring now to FIG. 3I, an auditing page 160 is shown. The server 14 provides a printable page listing all
30 of the bid recipients that were selected (i.e., "checked off") earlier. The server 14 assigns the user a reference number 161 that will allow that user to track and subsequently amend the communication if desired. At the bottom is a "new search" button 162, which allows the user to
35 return to the search page 70 (from FIG. 3C) to initiate a

search for a new item as described earlier, or modify an existing document.

Referring again to FIG. 3C, to change an existing submission or modify parameter settings, the user clicks on the "Bid Addendum" 75. In response, the server 14 returns a My Transactions page 163, shown in FIG. 3J. The My Transactions page 163 includes a transaction description 164, which corresponds to a selected category for a particular request, and the assigned reference number 161 (as also shown in FIG. 3I). The page also includes a status 165 of that particular request (how many bids sent and received) and an expiration date override 166 that the user can use to override the preset or expiration date, or change (extend) the expiration date. To change the recipients list or send an addendum to all of the vendors currently selected, the user selects either the transaction description 164 or reference number 161. In response, the server returns a Bid Addendum page 165, shown in FIG. 3K.

Referring to FIG. 3K, the Bid Addendum page 167 allows the user to choose via vendor selection boxes 168 those of the already selected vendors to receive the addendum. It also allows the user to attach a bid addendum through a bid addendum field and attachment button 169 or type a bid addendum online via a bid addendum online field 170. The user transmits the bid addendum by clicking on the "send bid addendum" button 171.

A server process that handles a purchasing-related communications exchange between buyers and vendors 175 will now be described with reference to FIGS. 4A-B.

Referring to FIG. 4A, upon detection that a user has logged on 176, the server 14 sends to the user a search page 177. The server 14 receives from the browser a search request based on a search string entered in the search page by the user 178. In response, a "matching categories" list is generated 179. The server receives a selected category

from the list of matching categories from the browser 180 and returns a matching vendors list 182. Next, the server receives from the user the selected vendors from the list of matching vendors (vendors contained in the "vendor matching" page) and communication option (e.g., RFQ) 184. The server returns a request options form to the user 186 and receives back from the user the request options data and selections (i.e., parameters, along with selected second communication option or options) 188. The server sends a form
10 corresponding to the selected communication options (e.g., online RFQ) to the user as appropriate 190 and receives back the completed document, along with any attached files 192. The server sends the completed document, along with any attachments, or a document contained in a file provided by
15 the user to each of the selected vendors via a single e-mail transmission 194.

To generate the matching categories list 179, the system performs a number of operations, as illustrated in FIG. 4B. One of the CGI-based applications or scripts (CGI applications 34 from FIG. 2) is invoked by the server 192. The invoked script parses the string contents to receive the data and processes the data 194. That is, the script converts the data from web format into a format that is usable by the database search engine 38 (from FIG. 2). The
20 script 34 strips off any special characters and processes the data string through fuzzy artificial intelligence software. The script also enforces rules according to the needs of the database system. For instance, the database system might require that its input contain only word roots
25 or have stop words (i.e., words that have no or little meaning to a query) removed. Additionally, slang words are converted into standard format that is accepted in the database and plural words are converted to the singular, unless stored in the database in plural form. Once the
35 string is processed into a format that the database system

accepts, it is passed on to the database system (specifically, the database search engine) to service the form's request 196.

The database search engine accesses the database and tries to match the search string that it receives from the script with entries in the database 198. Once the database search engine obtains a match, it returns the matching categories to the script 200. The script, in turn, formats the information into HTML 202 and returns the formatted information to the browser in the form of a "matching categories" page 204.

Although not illustrated in detail in FIGS. 4A-B, the system that generates a matching vendors list is performed in a similar manner. The system sends the data received from the browser to the CGI script for processing.

The CGI script provides the processed data to the database search engine, which accesses the database and returns a list (in this case, a list of vendors corresponding to the selected category) to the script for formatting. The resulting HTML ("vender matching") page is returned to the browser.

An exemplary implementation of the database 22 (from FIG 2) will be described now with reference to FIGS. 5A and 5B. As can be seen in FIG. 5A, the database has a category table 210 for each category or heading. Each category table 210 stores a pointer 212 for each vendor related to that category. The detailed vendor information is stored in a flat file 214 having a vendor record 216 corresponding to each vendor. Because the category table 210 stores only a pointer to the flat file that has all of the vendor information, searches are very fast.

Also contained in the database 22, and shown in FIG. 5B, is a user request table 220 having a request record/entry 222 for each user request. Data is gathered over a series of pages using the same user entry. If the

user disconnects, the server 14 saves the user request record. When the user logs on again, the server gives the user the opportunity to resume work on the saved (but incomplete) request.

5 Referring now to FIG. 6, a target advertising mechanism 230 is illustrated. Conventionally, websites display banners and the owner of the banner will pay the web page owner some fee when the banner is clicked on. Because the networked system 10 is geared towards the needs of
10 buyers, there is a high probability that the user of the system is interested in purchasing or getting information about a particular product or service. Therefore, the most valuable time for an advertiser to "get in front of" a potential purchaser is when that buyer indicates on-line
15 that the buyer is actively looking to purchase such product or service. The target advertising mechanism, also referred to as a "last ditch advertising" option allows the advertiser (advertising vendor) to virtually stand behind the purchasing agent during the purchasing decision-making
20 process.

Thus, and with reference to FIG. 6, the server 14 returns a list of vendors that match a buyer's search request 232. When the server receives from the user/buyer the list with certain ones of the vendors selected (i.e., "checked
25 off") as recipients of a user document or communication 234, the server detects that one or more of the vendors have not been selected 236. It should be noted that the server 14 keeps track of the selected category all the way through the process. If the server 14 detects nonselected vendors for
30 that category with the "last ditch advertising" option enabled prior to sending the options request page, the server checks 14 for pre-determined selection criteria 237 and selects one or more of the detected vendors using the pre-determined selection criteria (e.g., according to
35 subscription information) if it exists 238. Otherwise, they

are selected at random 240. The server 14 already has the category/heading to which the vendor or vendors belong, therefore the server 14 retrieves from the database and presents to the user any one or more of the nonselected vendors. The server presents vendor information (such as a banner ad or company name/address) for one or more of the detected, nonselected vendors to the user 242 and allows the user the option of adding the one or more of those vendors to the list of recipients prior to the transmission of the document or communication to the selected vendors 244.

In this embodiment, the information is presented in the form of a page via the browser, as shown in FIG. 7. Referring to FIG. 7, a last ditch advertising page 245 includes nonselected vendor information 246. The nonselected vendor information 246 can be "clicked on" via a corresponding hyperlink 247, thereby adding the vendors associated with such information to the recipients list. The buyer is also given the opportunity to modify previously set request options parameters 248.

In this manner, the last ditch advertising option provides the nonselected vendor a chance to make one last pitch to the user in order that the vendor may be considered during a potential sourcing or purchasing decision. The user has the option of adding that company to the user's existing "basket" of recipients prior to submitting the communications document (e.g., RFQ) for transmission to the vendors on the list of recipients. Vendors added, and all options are stored in a unique file on the server. That file is loaded and verified every time a change is made. Having such information stored in a file allows the user to return and complete an RFQ at a later time. It is also used by the server to determine which "last ditch" supplier to show.

Although the target advertising mechanism has been described with reference to and within the context of the

illustrated buyer-vendor communication process 14, it need not be so limited. It will be appreciated that such a technique could be used in other purchasing environments, such as web-based shopping applications, in which a buyer
5 chooses to buy an item by adding the chosen item to the buyer's "virtual shopping cart". That is, the addition of an item from a particular source to the basket (as opposed to the detecting of a nonselected vendor as described above) could trigger the advertising of an alternative source of
10 the chosen item or source of a competitive item.

Another feature of the purchasing communications system is the ability to construct and utilize a user-specific vendor directory or list.

Referring now to FIG. 8, a process to produce a
15 preferred vendor list or directory 250 is shown. In this embodiment, the list will take the form of an HTML page. The website administrator for the Web server and associated applications receives from a user (e.g., purchasing department or agent) a file including preferred vendor
20 information 252. The system can accept the preferred vendor information in any format. The system detects the format in which the information is stored 254. The system opens the file and determines if the file is commented, fixed field, etc., or stored in some format like Excel, Access or Word.
25 Once the system determines how the information is stored, it removes the data from the encapsulated form in which it is received 256 and applies an Artificial Intelligence "filtering" operation to the data 258. The AI program automatically corrects any out-of-date names/numbers, and
30 provides the formal legal names of listed vendor companies as needed. It also strips off any apostrophes and dashes to get the "raw" name. Once the AI filtering is complete, the system performs a fuzzy logic matching to match the data with records already residing in the database 260. Once all
35 the data has been matched (or achieves a certain level of

correctness) and an account has been set up for the user 262, the server populates a "My Vendor" page with the preferred vendors from the preferred vendor information and makes the page available to the user when the user signs on 5 264. Once the list is available for use by the user, the server automatically e-mails/faxes or mails a letter from the user to all of the vendors on the "My Vendor" page indicating that the user has an account with and will be utilizing the purchasing communications system in future 10 procurement activities 266.

Alternatively, the buyer/user can run a search on a category and check off all of the vendors that the user's particular purchasing department procures from and could create a running list in that manner.

15 The "My Vendor" page also includes competitive vendor data. The competitive vendor data is generated by pooling together the preferred supplier information from a group of similar users (e.g., a group of universities). The server runs each user's list through the database "filter" as 20 described above and categorizes the information.

Referring back to the vendor matching page shown in FIG. 3F, the check box also allows the user to add to "My Vendor" page by simply checking the box corresponding to a particular company name and clicking on the "Add selected 25 vendors to my page" button 110. In response, the user will get a screen confirming that he has added the selected vendors to his personal page.

There is an administrative account (set by the purchasing agents) which controls how the vendor page is 30 updated or changed. It also controls access to the rest of the system. The system provides parameters that allow purchasing agents to specify different levels of access, e.g., vendor page only, search page, or up through post search where the user has a list of recipients. The 35 administrator has the ability to block the user from sending

to suppliers other than those included on the "My Vendor" page.

Referring now to FIG. 9, a vendor response management portion of the buyer-vendor communication process is shown. The system (system 14 from FIG. 1) receives a response from a vendor 272 and sorts that response based on reference number 274. In order to determine how to proceed with the processing of the response, the system consults the request options parameters specified by the user prior to transmission 276. It accomplishes this task by reading the user request entry data corresponding to the reference number in the request data table of FIG. 5B. Specifically, the system 14 will determine if the submissions period has expired 278. If the submissions period has not expired, the system will check the delivery field to determine if the delivery date parameter is met. If not, the system will hold the response for delivery on the appropriate delivery date 282. If the submissions period has expired (at 278), the response will be deemed late and discarded 284. If the delivery date parameter has been met 280, the response will be sent to the user 286.

Other Embodiments

It is to be understood that while the invention has been described in conjunction with the detailed description thereof, the foregoing description is intended to illustrate and not limit the scope of the invention, which is defined by the scope of the appended claims. Other aspects, advantages, and modifications are within the scope of the following claims.

What is claimed is:

CLAIMS

1. A method of facilitating purchasing communications between buyers and vendors across a network, the method
5 comprising:
 - receiving a request from a buyer for vendor information corresponding to a selected category from a list of categories;
 - 10 returning, in response to the request for vendor information, a vendor matching list for the selected category, the vendor matching list including communication options available to the buyer relative to one or more of the listed vendors; and
 - 15 transmitting a message corresponding to selected communication options over the network to the selected vendors.
2. The method of claim 2 further comprising:
 - 20 receiving a search request of at least one keyword specifying a type of product; and
 - returning the list of categories corresponding to the at least one keyword.
3. The method of claim 2, wherein each list returned
25 is rendered into an HTML page by a web browser.
4. The method of claim 2 further comprising:
 - searching a database for headings matching the entered keyword;
 - 30 retrieving from the database the categories associated with the matched headings; and
 - returning the categories as the list of categories in an HTML page.
- 35 5. The method of claim 4 further comprising:

providing the number of vendors in the database for each category in the list of categories.

6. The method of claim 3 further comprising:
5 searching a database for headings matching the selected category; and
retrieving a list of vendors stored in association with the matched headings.
- 10 7. The method of claim 6 further comprising:
constructing a message to be sent to the selected vendors including preparing an electronic mail message addressed to each one of the selected vendors and attaching selected communication options thereto.
- 15 8. The method of claim 1, wherein the communication options include a document for requesting vendor response.
9. The method of claim 8, wherein the document is a
20 request-for-quotation.
10. The method of claim 8, wherein the document is a request-for-information.
- 25 11. The method of claim 8, wherein the document is a request-for-status.
12. The method of claim 8, wherein the document is a request-for-proposal.
- 30 13. The method of claim 1, wherein the communication options include a document provided by the user.
14. The method of claim 8, wherein the communication
35 options further include a document provided by the user.

15. The method of claim 1 further comprising:
 associating with the message a set of one or more
buyer-defined parameters specifying how responses to the
5 message are to be delivered to the buyer.

16. The method of claim 1 further comprising:
 assigning a reference number to the message to
enable status tracking by the buyer.

10

17. The method of claim 15 further comprising:
 receiving a response to the message from at least
one of the selected suppliers;
 checking the buyer-defined parameters associated
15 with the message; and
 processing the response in accordance with the
user-defined parameters.

18. The method of claim 17, wherein the buyer-defined
20 parameters specify an expiration date for a response
submissions period and wherein the processing comprises:
 reading the expiration date to determine whether
or not the submissions period has expired.

25 19. The method of claim 18, wherein the user-defined
parameters specify a delivery date and wherein the
processing further comprises:

 reading the delivery date and determining if the
delivery date parameter has been met; and

30 directing the response to the buyer if it is
determined that the delivery data parameter has been met.

20. The method of claim 19, wherein processing further
comprises:

35 holding the response for delivery to the buyer on

the delivery date.

21. The method of claim 16 further comprising:
receiving responses to the message from one or
5 more of the selected suppliers; and
sorting the responses by the assigned reference
number.

22. A computer program product residing on a computer
10 readable medium for facilitating purchasing communications
between buyers and vendors across a network, comprising
instructions for causing a computer to:

receive a request for vendor information
corresponding to a selected category from a list of
15 categories;

return, in response to the request for vendor
information, a vendor matching list for the selected
category, the vendor matching list including communication
options available to the buyer relative to one or more of
20 the listed vendors; and

transmit a message corresponding to selected
communication options over the network to the selected
vendors.

25 23. A system for facilitating a communication exchange
between buyers and vendors over a network comprising:

a server coupled to the network;
a database engine coupled to the server;
a database coupled to the database engine;

30 wherein the server receives a request over the
network from a buyer for vendor information corresponding to
a selected category from a list of categories, processes the
request and sends the processed request to the database
engine;

35 wherein the database engine, in response to the

processed request sent by the server, matches the processed request with entries in the database, the entries corresponding to vendors, and returns the matching vendor entries to the server for processing;

5 wherein the server transfers the processed matching vendor entries as a matching vendors list to the buyer along with communication options; and

 wherein the server receives selected vendors from the matching vendor list and at least one selected
10 communication option from the communication options and transmits a message corresponding to the at least one of the communication options to the selected vendors over the network.

15

1/20




FIG. 1

2/20




FIG. 2

3/20

WELCOME

IN ORDER TO USE THE
SERVICES WE OFFER,
YOU MUST REGISTER
WITH OUR SYSTEM.

EMAIL ADDRESS

 42

PASSWORD

 44

☒ SAVE MY LOGIN INFORMATION ON MY COMPUTER
SO I WILL NOT HAVE TO ENTER IT EACH TIME I VISIT.

48
CLICK HERE
TO REGISTER.

ENTER 46

HOME | JOIN | ADVERTISING | PRIVACY POLICY
MID ADDENDUM | MY VENDOR | SUGGESTIONS

40

FIG. 3A

4/20

PURCHASER ACCOUNT APPLICATION
ITEMS FOLLOWED BY (R) ARE REQUIRED

☐ ☐

COMPANY/ORGANIZATION INFORMATION	
COMPANY/ORGANIZATION NAME: (R)	333
YOUR NAME:	
ADDRESS:	
CITY:	
STATE:	
ZIP CODE:	
COUNTRY:	U.S.A.
EMAIL ADDRESS: (R)	333
PURCHASING DEPT'S WEBSITE (URL):	HTTP://
COMPANY PHONE NUMBER: (R)	333 EXT: 0
FAX NUMBER: (R)	333
AMOUNT YOUR PURCHASING DEPT. SPENDS EACH YEAR:	10 MIL. OR LESS ▼
PASSWORD (CHARACTERS HIDDEN):	***
PASSWORD AGAIN (PASSWORD MUST MATCH):	***
CONTINUE	

50

FIG. 3B

5/20

HELLO, NAMELESS PERSON OF 333

SEARCH

ENTER SOME KEYWORDS SPECIFYING THE PRODUCT
OR SERVICE YOU ARE LOOKING FOR:

72

PHONE SEARCH

MY VENDORS

75

HOME | JOIN | ADVERTISING | PRIVACY POLICY
MID ADDENDUM | MY VENDOR | SUGGESTIONS

70

FIG. 3C

6/20

RESULTS FOR PHONE
 MATCHING CATAGORIES: 26 — 82
 TOTAL SUPPLIERS: 1752 — 84
 DISPLAYING 1-25 — 86

SELECT THE FOLLOWING CATAGORIES
 THAT BEST MATCH YOUR PURCHASING CRITERIA:

MATCHING CATAGORIES	NUMBER OF VENDORS IN DATABASE
88 — <u>TELEPHONE & TELEVISION CABLE CONTRACTORS</u>	13 — 90
<u>TELEPHONE - WIRING & REPAIR</u>	2
<u>TELEPHONE - INSTALLATIONS</u>	6
<u>PAY TELEPHONES & BOOTHS EQUIPMENT & SVC</u>	7
<u>TELEPHONE CALLING CARDS - WHOL & MFRS</u>	1 — 80
<u>TELEPHONE EQUIPMENT & SYSTEMS - MFRS</u>	3
<u>TELEPHONE BOOTHS (MANUFACTURERS)</u>	1
<u>TELEPHONE & TELEGRAPH APPARATUS (MFRS)</u>	5
<u>RADIOTELEPHONE COMMUNICATIONS</u>	3
<u>MOBILE TELEPHONE SERVICE</u>	13
<u>CELLULAR TELEPHONES (SERVICES)</u>	278
<u>TELEPHONE COMMUNICATIONS SERVICES</u>	301
<u>TELEPHONE COMPANIES</u>	126
<u>LONG DISTANCE TELEPHONE SERVICE</u>	50
<u>TELEPHONE AUTO ANSWER EQUIPMENT - WHOL</u>	4
<u>TELEPHONE EQUIPMENT & SYSTEMS - WHOLESALE</u>	18
<u>TELEPHONE EQUIP/SYSTS - SUPLS/PARTS (WHOL)</u>	4
<u>MOBILE TELEPHONE EQUIP & SUPLS (WHOL)</u>	20
<u>TELEPHONE - COIN & CARD OPERATED (WHOL)</u>	17
<u>CELLULAR TELEPHONES - EQUIPMENT & SUPLS</u>	159
<u>TELEPHONE EQUIPMENT & SUPPLIES</u>	309
<u>TELEPHONE ANSWERING SERVICE</u>	331

FIG. 3D

76

7/20

TELEPHONE EQUIPMENT & SYSTEMS-SVC/REPAIR	70	80
TELEPHONE AUTO ANSWER EQUIP-SERVICING	2	
CELLULAR TELEPHONES-SERVICE & REPAIR	4	
TELEPHONE CONSULTANTS	5	

NEW SEARCH

78

FIG. 3E

8/20

TELEPHONE-WIRING & REPAIR

VENDORS MATCHING YOUR CRITERIA

DISPLAYING 1-2 OUT OF 2

HERE IS A LIST OF ALL VENDORS IN THE CATAGORY YOU SELECTED.
PLEASE CHECK OFF ALL THE VENDORS YOU WISH TO SEND QUOTES TO.

VENDOR		106	
104	<input checked="" type="checkbox"/>	VENDOR NAME	(I)
	<input checked="" type="checkbox"/>	VENDOR NAME	(I) (M) 108
110		ADD SELECTED VENDORS TO MY PAGE	

I WOULD LIKE TO GET:

114a	REQUEST FOR QUOTE	▼
114b	REQUEST FOR QUOTE	
114c	REQUEST FOR QUOTE INFORMATION ONLY	
114d	REQUEST FOR PROPOSAL	
	REQUEST FOR STATUS	

114

116

100

FIG. 3F

9/20

120

REQUEST OPTIONS

122b

ATTACH A FILE ▼

EMAIL	<input type="text" value="JOE@MIT.EDU"/>	124
RECEIVE RFQ'S	UPON EXPIRATION ▼	126
RFQ EXPIRES	MAY AS THEY ARRIVE 999 ▼	128
RFQ SHORT DESCRIPTION	<input type="text"/>	130

COMMENTS

124

122a

FIG. 3G

10/20

333
(NO ADDRESS SPECIFIED)
(NO CITY SPECIFIED) U.S.A.
00000-0000
333

144

REQUEST FOR QUOTATION

142

RFQ NUMBER:

DATE: 10/20/98: 146

148

DELIVERY REQUIREMENTS	TERMS & CONDITIONS	F.O.B.
<input type="text" value="CHOICE HERE"/>	<input type="text" value="CHOICE HERE"/>	<input type="text" value="CHOICE HERE"/>
QUANTITY	DESCRIPTION	
<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	

156

152

SUBMIT 154


140

HOME | JOIN | ADVERTISING | PRIVACY POLICY
MID ADDENDUM | MY VENDOR | SUGGESTIONS


FIG. 3H

11/20

RFQ REFERENCE NUMBER:

p586bgiu  161

YOUR REQUEST HAS BEEN SENT TO THE FOLLOWING SUPPLIERS:

VENDOR NAME	
VENDOR NAME	
	NEW SEARCH  162


 160

FIG. 3I

12/20

MY TRANSACTION ¹⁶⁴

¹⁶¹

TRANSACTION	REFERENCE	NUMBER	NUMBER	DATE OF
DESCRIPTION	NUMBER	SENT	RETURNED	EXPIRATION
HALOGEN LIGHT BULBS	843VEW4586	4	2	4/15/99
COPIERS	778THR6823	6	4	3/25/99
MASS SPECTROMETER	874WK5379	3	1	6/1/99
GEAR PUMP	834Q0D7432	4	3	3/15/99

¹⁶⁵

¹⁶⁶

¹⁶³

FIG. 3J

13/20

167

A BID ADDENDUM FOR REFERENCE NUMBER 843VEW4586
"HALOGEN LIGHT BULBS" WILL BE SENT TO THE FOLLOWING SUPPLIERS:

- ☒ ALLIED ELECTRIC CO.
- ☒ GROSS ELECTRIC INC.
- ☒ LIGHT BULB WORLD
- ☒ MADISON ELECTRIC CO.

168

169

ATTACH BID ADDENDUM:

ATTACH

TYPE BID ADDENDUM ONLINE:

170

		▲
		▼
◀		▶

SEND BID ADDENDUM

171

FIG. 3K

14/20




FIG. 4A

15/20




FIG. 4B

16/20




FIG. 5A




FIG. 5B

17/20




FIG. 6

18/20




FIG. 7

19/20




FIG. 8

20/20




FIG. 9

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/09094

A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : G06F 17/60 US CL : 705/26,27,37; 235/375 According to International Patent Classification (IPC) or to both national classification and IPC														
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 705/26,27,37; 235/375 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched NONE Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WEST, DIALOG														
C. DOCUMENTS CONSIDERED TO BE RELEVANT														
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.												
X	US 4,992,940 A (DWORKIN) 12 February 1991, col. 3, line 47 thru col. 10, line 63.	1-23												
X	US 5,758,328 A (GIOVANNOLI) 26 May 1998, col. 3, line 55 thru col. 8, line 20.	1-23												
X	US 5,794,207 A (WALKER et al) 11 August 1998, col. 11, line 40 thru col. 27, line 64.	1-23												
X	US 5,842,178 A (GIOVANNOLI) 24 November 1998, col. 3, line 58 thru col. 8, line 31.	1-23												
X,P	US 5,924,082 A (SILVERMAN et al) 13 July 1999, col. 6, line 14 thru col. 13, line 51.	1-23												
X,P	US 5,991,739 A (CUPPS et al) 23 November 1999, col. 3, line 48 thru col. 11, line 64.	1-23												
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.														
<table border="0"> <tr> <td>* Special categories of cited documents.</td> <td>*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>*A* document defining the general state of the art which is not considered to be of particular relevance</td> <td>*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>*B* earlier document published on or after the international filing date</td> <td>*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>*Z* document member of the same patent family</td> </tr> <tr> <td>*O* document referring to an oral disclosure, use, exhibition or other means</td> <td></td> </tr> <tr> <td>*P* document published prior to the international filing date but later than the priority date claimed</td> <td></td> </tr> </table>			* Special categories of cited documents.	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	*B* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family	*O* document referring to an oral disclosure, use, exhibition or other means		*P* document published prior to the international filing date but later than the priority date claimed	
* Special categories of cited documents.	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention													
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone													
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art													
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family													
O document referring to an oral disclosure, use, exhibition or other means														
P document published prior to the international filing date but later than the priority date claimed														
Date of the actual completion of the international search 08 JULY 2000		Date of mailing of the international search report 03 AUG 2000												
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer ALLEN MACDONALD Telephone No. (703) 308-9900												

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/09094

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,168,446 A (WISEMAN) 01 December 1992, entire document.	1-23
A,P	US 5,905,975 A (AUSUBEL) 18 May 1999, entire document.	1-23

THIS PAGE BLANK (USPTO)